ELSEVIER

Neuroscience Letters 257 (1998) 171–173

Neuroscience Letters

Author Index to Volume 257

Akazawa, C., see Suzuki, H., 165
Allen, D.D., see Rousselle, C.H., 139
Altumbabic, M., Del Bigio, M.R., Transplantation of fetal brain tissue into the site of intracerebral hemorrhage in rats, 61
Ances, B.M., Detre, J.A., Takahashi, K., Greenberg, J.H., Transcranial laser doppler mapping of activation flow coupling of the rat somatosensory cortex, 25
Andreassi, C., see Riccio, A., 116
Aoki, J., see Ishiguro, H., 45
Arahata, K., see Suzuki, H., 165
Arenas, E., see Ferrer, I., 85
Arinami, T., see Ishiguro, H., 45
Auinger, P., see Doppelmayr, M., 41

Bayer, T.A., see Schramm, M., 65
Benardo, L.S., see Yang, L., 33
Bhattacharyya, P., see Ghoshal, D., 89
Boucher, T., Jennings, E., Fitzgerald, M., The onset of diffuse noxious inhibitory controls in postnatal rat pups: a C-Fos study, 9
Brain, S.D., see Towler, P.K., 5
Bredewold, R., see Wilczak, N., 168
Bringmann, G., see Gerlach, M., 17
Buccellati, C., Folco, G.C., Sala, A., Scelsi, R., Masoero, E., Poggi, P., Govoni, S., Favalli, L., Rozza, A., Inhibition of prostanoid synthesis protects against neuronal damage induced by focal ischemia in rat brain, 123
Burlet, S., see Léger, L., 147

Cespuglio, R., see Léger, L., 147
Chachich, M., Powell, D.A., Both medial prefrontal and amygdala central nucleus lesions abolish heart rate classical conditioning, but only prefrontal lesions impair reversal of eyeblink differential conditioning, 151
Charnay, Y., see Léger, L., 147
Chen, L., see Shero, M., 81
Chun, S.-j., Niijima, A., Shima, T., Okada, M., Nagai, K., Effect of infusion of vasoactive intestinal peptide (VIP)-antisense oligodeoxynucleotide into the third cerebral ventricle above the hypothalamic suprachiasmatic nucleus on the hyperglycemia caused by intracranial injection of 2-deoxy-D-glucose in rats, 135
Corbett, D., see Lei, H., 105
Crawford, F., see Suo, Z., 77

De Keyser, J., see Wilczak, N., 168
Decherchi, P., see Luc Darques, J., 109
Del Bigio, M.R., see Altumbabic, M., 61
Detre, J.A., see Ances, B.M., 25
Dichgans, J., see Schepelmann, K., 159
Dooley, P., see Lei, H., 105
Doppelmayr, M., Klimesch, W., Schwaiger, J., Auinger, P., Winkler, T., Theta synchronization in the human EEG and episodic retrieval, 41
Durkovic, R.G., Prokowich, L.J., D-2-Amino-5-phosphonovalerate, an NMDA receptor antagonist, blocks induction of associative long-term potentiation of the flexion reflex in spinal cat, 162

Ebert, U., see Mevissen, M., 13
Eboli, M.L., see Riccio, A., 116

Falkai, P., see Schramm, M., 65
Favalli, L., see Buccellati, C., 123
Feineis, D., see Gerlach, M., 17
Feldmann, N., see Schramm, M., 65
Ferrer, I., Goutan, E., Martí, E., Arenas, E., Brain-derived neurotrophic factor does not prevent ionizing radiation-induced apoptosis in the developing rat brain, 85
Fitzgerald, M., see Boucher, T., 9
Folco, G.C., see Buccellati, C., 123
Fox, J.E., Jefferys, J.G.R., Frequency and synchrony of tetanically-induced, gamma-frequency population discharges in the rat hippocampal slice: the effect of diazepam and propofol, 101

Gay, N., see Léger, L., 147
Gerber, W.-D., see Kropp, P., 73
Gerlach, M., Xiao, A.-Y., Heim, C., Lan, J., God, R., Feineis, D., Bringmann, G., Riederer, P., Sontag, K.-H., 1-Trichloromethyl-1,2,3,4-tetrahydro-β-carboline increases extracellular serotonin and stimulates hydroxyl radical production in rats, 17
Ghoshal, D., Sinha, S., Sinha, A., Bhattacharyya, P., Immunosuppressive effect of Vestibulo-cerebellar lesion in rats, 89
God, R., see Gerlach, M., 17
Goutan, E., see Ferrer, I., 85
Govoni, S., see Buccellati, C., 123
Greenberg, J.H., see Ances, B.M., 25

Händel, M., see Schulz, S., 37
Höllt, V., see Schulz, S., 37
Hamaguchi, H., see Ishiguro, H., 45
Hase, A., see Suzuki, H., 165
Hashino, E., see Shero, M., 81
Hayashi, M., see Oka, A., 113
Heim, C., see Gerlach, M., 17
Hirata, M., see Matsuda, M., 97
Hoheisel, U., Kaske, A., Mense, S., Relationship between neuronal activity and substance P-immunoreactivity in the rat spinal cord during acute and persistent myositis, 21
Hohmann, A.G., Tsou, K., Walker, J.M., Cannabinoid modulation of wide dynamic range neurons in the lumbar dorsal horn of the rat by spinally administered WIN55,212-2, 119
Humphrey, J., see Suo, Z., 77

Igarashi, S., see Koide, T., 29
Inuzuka, T., see Koide, T., 29
Ishiguro, H., Ohtsuki, T., Toru, M., Itokawa, M., Aoki, J., Shibuya, H., Kurumaji, A., Okubo, Y., Iwawaki, A., Ota, K., Shimizu, H., Hama-

PII S0304-3940(98)00885-4

guchi, H., Arinami, T., Association between polymorphisms in the type 1 sigma receptor gene and schizophrenia, 45
Itokawa, M., see Ishiguro, H., 45
Iwawaki, A., see Ishiguro, H., 45

Jammes, Y., see Luc Darques, J., 109
Jefferys, J.G.R., see Fox, J.E., 101
Jennings, E., see Boucher, T., 9

Kanematsu, T., see Matsuda, M., 97
Kanfer, J.N., Sorrentino, G., Sitar, D.S., Phospholipases as mediators of amyloid beta peptide neurotoxicity: an early event contributing to neurodegeneration characteristic of Alzheimer's disease, 93
Kaske, A., see Hoheisel, U., 21
Kavaliers, M., Wiebe, J.P., Ossenkopp, K.-P., Brief exposure of mice to 60 Hz magnetic fields reduces the analgesic effects of the neuroactive steroid, 3α-hydroxy-4-pregnen-20-one, 155
Kikugawa, K., see Koide, T., 29
Kim, B.Y., see Suzuki, H., 165
Kishi, A., Ohno, M., Watanabe, S., Concurrent activation of hippocampal glycine and polyamine sites of the *N*-methyl-D-aspartate receptor synergistically reverses working memory deficits in rats, 131
Klimesch, W., see Doppelmayr, M., 41
Klockgether, T., see Schepelmann, K., 159
Knable, M.B., see Schramm, M., 65
Koide, T., Igarashi, S., Kikugawa, K., Nakano, R., Inuzuka, T., Yamada, M., Takahashi, H., Tsuji, S., Formation of granular cytoplasmic aggregates in cells expressing mutant Cu/Zn superoxide dismutase associated with familial amyotrophic lateral sclerosis, 29
Kong, J., see Wang, Y., 143
Kowalska, J., see Szelag, E., 69
Kropp, P., Gerber, W.-D., Prediction of migraine attacks using a slow cortical potential, the contingent negative variation, 73
Kukita, T., see Matsuda, M., 97
Kundtz, A., see Suo, Z., 77
Kurachi, Y., see Oka, A., 113
Kurumaji, A., see Ishiguro, H., 45

Léger, L., Gay, N., Burlet, S., Charnay, Y., Cespuglio, R., Localization of nitric oxide-synthesizing neurons sending projections to the dorsal raphe nucleus of the rat, 147
Löschmann, P.A., see Schepelmann, K., 159
Lan, J., see Gerlach, M., 17
Lang, M.K., see Walz, W., 127
Leanza, G., Chronic elevation of amyloid precursor protein expression in the neocortex and hippocampus of rats with selective cholinergic lesions, 53
Lefauconnier, J.-M., see Rousselle, C.H., 139
Lei, H., Dooley, P., Peeling, J., Corbett, D., Temporal profile of magnetic resonance imaging changes following forebrain ischemia in the gerbil, 105
Li, S., see Wang, Y., 143
Luc Darques, J., Decherchi, P., Jammes, Y., Mechanisms of fatigue-induced activation of group IV muscle afferents: the roles played by lactic acid and inflammatory mediators, 109

Martí, E., see Ferrer, I., 85
Masoero, E., see Buccellati, C., 123
Matsuda, M., Kanematsu, T., Takeuchi, H., Kukita, T., Hirata, M., Localization of a novel inositol 1,4,5-trisphosphate binding protein, p130 in rat brain, 97
Mense, S., see Hoheisel, U., 21
Mevissen, M., Ebert, U., Anticonvulsant effects of melatonin in amygdala-kindled rats, 13
Miyata, Y., see Suzuki, H., 165
Mizuguchi, M., see Oka, A., 113
Mullan, M., see Suo, Z., 77

Nagai, K., see Chun, S.-j., 135
Nakano, R., see Koide, T., 29
Niijima, A., see Chun, S.-j., 135
Nonaka, I., see Suzuki, H., 165

Obata, T., Yamanaka, Y., Glibenclamide, an antagonist of ATP sensitive K^+ channels, blocks free radical generation in the rat myocardium, 57
Ohno, M., see Kishi, A., 131
Ohtsuki, T., see Ishiguro, H., 45
Oka, A., Kurachi, Y., Mizuguchi, M., Hayashi, M., Takashima, S., The expression of late infantile neuronal ceroid lipofuscinosis (CLN2) gene product in human brains, 113
Okada, M., see Chun, S.-j., 135
Okano, H., see Tabuchi, K., 49
Okubo, Y., see Ishiguro, H., 45
Ossenkopp, K.-P., see Kavaliers, M., 155
Ota, K., see Ishiguro, H., 45

Pöppel, E., see Szelag, E., 69
Peeling, J., see Lei, H., 105
Peng, Y.-I., see Shui, H.-A., 1
Placzek, A., see Suo, Z., 77
Poggi, P., see Buccellati, C., 123
Powell, D.A., see Chachich, M., 151
Prokowich, L.J., see Durkovic, R.G., 162

Riccio, A., Andreassi, C., Eboli, M.L., Antiphospholipid antibodies bind to rat cerebellar granule cells: the role of *N*-methyl-D-aspartate receptors, 116
Riederer, P., see Gerlach, M., 17
Rousselle, C.H., Lefauconnier, J.-M., Allen, D.D., Evaluation of anesthetic effects on parameters for the in situ rat brain perfusion technique, 139
Rozza, A., see Buccellati, C., 123
Rymarczyk, K., see Szelag, E., 69

Sala, A., see Buccellati, C., 123
Salvi, R.J., see Shero, M., 81
Sawamoto, K., see Tabuchi, K., 49
Scelsi, R., see Buccellati, C., 123
Schaaf, M., see Wilczak, N., 168
Schepelmann, K., Schugens, M.M., Löschmann, P.A., Klockgether, T., Dichgans, J., The non-competitive *N*-methyl-D-aspartate-antagonist memantine does not affect segmental mono- and polysynaptic reflexes in man, 159
Schmidt, H., see Schulz, S., 37
Schramm, M., Falkai, P., Feldmann, N., Knable, M.B., Bayer, T.A., Reduced tyrosine kinase receptor C mRNA levels in the frontal cortex of patients with schizophrenia, 65
Schreff, M., see Schulz, S., 37
Schugens, M.M., see Schepelmann, K., 159

Schulz, S., Schmidt, H., Händel, M., Schreff, M., Höllt, V., Differential distribution of alternatively spliced somatostatin receptor 2 isoforms (sst_{2A} and sst_{2B}) in rat spinal cord, 37
Schwaiger, J., see Doppelmayr, M., 41
Sethi, F., see Suo, Z., 77
Shero, M., Salvi, R.J., Chen, L., Hashino, E., Excitotoxic effect of kainic acid on chicken cochlear afferent neurons, 81
Shibuya, H., see Ishiguro, H., 45
Shima, T., see Chun, S.-j., 135
Shimizu, H., see Ishiguro, H., 45
Shui, H.-A., Peng, Y.-I., Tsai, Y.-F., Recovery of high potassium-evoked dopamine release after depolarization challenge in the striatum of young and old male rats, 1
Sinha, A., see Ghoshal, D., 89
Sinha, S., see Ghoshal, D., 89
Sitar, D.S., see Kanfer, J.N., 93
Sontag, K.-H., see Gerlach, M., 17
Sorrentino, G., see Kanfer, J.N., 93
Streefland, C., see Wilczak, N., 168
Suo, Z., Humphrey, J., Kundtz, A., Sethi, F., Placzek, A., Crawford, F., Mullan, M., Soluble Alzheimers β-amyloid constricts the cerebral vasculature in vivo, 77
Suzuki, H., Hase, A., Kim, B.Y., Miyata, Y., Nonaka, I., Arahata, K., Akazawa, C., Up-regulation of glial cell line-derived neurotrophic factor (GDNF) expression in regenerating muscle fibers in neuromuscular diseases, 165
Szelag, E., Kowalska, J., Rymarczyk, K., Pöppel, E., Temporal integration in a subjective accentuation task as a function of child cognitive development, 69

Tabuchi, K., Yoshikawa, S., Yuasa, Y., Sawamoto, K., Okano, H., A novel *Drosophila* paired-like homeobox gene related to *Caenorhabditis elegans unc-4* is expressed in subsets of postmitotic neurons and epidermal cells, 49
Takahashi, H., see Koide, T., 29
Takahashi, K., see Ances, B.M., 25
Takashima, S., see Oka, A., 113
Takeuchi, H., see Matsuda, M., 97
Tang, X., see Wang, Y., 143
Teelken, A., see Wilczak, N., 168
Toru, M., see Ishiguro, H., 45
Towler, P.K., Brain, S.D., Activity of tachykinin NK_1 and bradykinin B_2 receptor antagonists, and an opioid ligand at different stimulation parameters in neurogenic inflammation in the rat, 5
Tsai, Y.-F., see Shui, H.-A., 1
Tsou, K., see Hohmann, A.G., 119
Tsuji, S., see Koide, T., 29

Walker, J.M., see Hohmann, A.G., 119
Walz, W., Lang, M.K., Immunocytochemical evidence for a distinct GFAP-negative subpopulation of astrocytes in the adult rat hippocampus, 127
Wang, Y., Tang, X., Kong, J., Zhuang, D., Li, S., Different systems in human brain are involved in presemantic discrimination of pictures as revealed by event-related potentials, 143
Watanabe, S., see Kishi, A., 131
Wiebe, J.P., see Kavaliers, M., 155
Wilczak, N., Schaaf, M., Bredewold, R., Streefland, C., Teelken, A., De Keyser, J., Insulin-like growth factor system in serum and cerebrospinal fluid in patients with multiple sclerosis, 168
Winkler, T., see Doppelmayr, M., 41

Xiao, A.-Y., see Gerlach, M., 17

Yamada, M., see Koide, T., 29
Yamanaka, Y., see Obata, T., 57
Yang, L., Benardo, L.S., Removal of superficial inhibition releases hyperexcitability in middle and deep horizontal slices from rat somatosensory neocortex, 33
Yoshikawa, S., see Tabuchi, K., 49
Yuasa, Y., see Tabuchi, K., 49

Zhuang, D., see Wang, Y., 143